ELSEVIER

Journal of Organometallic Chemistry 558 (1998) 241

Journal of Organometallic Chemistry

Author index of Volume 558

Achmatowicz, B., 227
Adams, H., 189
Alt, H.G., 111
Amor, F., 139
Anderson, P.A., 147
Arsenyan, P., 155
Atherton, M.J., 209

Baumann, A., 235
Belyakov, S., 155
Bruce, M.I., 197
Brunner, H., 213
Busico, V., 219

Cahiez, G., 61
Casado, A.L., 189
Chung, J.-H., 71
Cipullo, R., 219
Clegg, W., 193
C.W. Chien, J., 223

Demonceau, A., 163
Donkervoort, J.G., 61
du Plooy, K.E., 139
Dürr, U., 91

Ekholm, P., 181
Enderle, A., 235

Flörke, U., 81

Garcia, J.J., 189
Gibson, J.K., 51
Glaser, J., 123
Gossage, R.A., 61
Gusev, O., 163

Hamor, T.A., 147
Haupt, H.-J., 81
Heinemann, F.W., 91
Holloway, J.H., 209
Hope, E.G., 209
Hörsken, A., 1

Iretskii, A., 189
Irie, M., 35
Irie, S., 35

Jankowski, P., 227
Jastrzebski, J.T., 61
Jones, C.J., 147
Jung, M., 111

Kang, M.S., 11
Kim, H.S., 11
Kim, Y.-J., 41
Kisch, H., 91
Kleditzsch, S., 193
Knowles, D.R., 163
Kuang, S.-M., 131
Kwon, O.C., 11

Lee, G.Y., 11
Lee, H., 11
Lee, I.-M., 11
Lee, J.-H., 71
Lee, J.-Y., 41
Lee, Y.-S., 11
Lehtonen, A., 171, 181
Leino, R., 171, 181
Li, L., 1
Lindner, E., 235
Lippert, B., 103
Llauro, M.-F., 19
López-Solera, I., 103
Lukevics, E., 155
Luttikhedde, H.J., 171, 181

Maitlis, P.M., 163, 189
Mak, T.C., 131
Masaguer, J.R., 103
Mattinen, J., 171
McCrory, C.T., 1
McKinney, J.D., 147
Michel, A., 19
Milius, W., 111
Montero, E.I., 103
Mulvey, R.E., 193

Näsman, J.H., 171, 181
Navarro-Ranninger, C., 103
Noels, A.F., 163
Nuber, B., 213

Öhrström, L., 123
Okuda, J., 139
Okutani, T., 35
O'Leary, S., 163
Osakada, K., 41
O'Shaughnessy, P., 193

Park, J.T., 71
Paxton, K., 147
Penninkangas, A., 171
Pétiaud, R., 19
Petters, D., 81
Popelis, J., 155
Porch, A., 147
Primel, O., 19

Saunders, G.C., 209
Shono, Y., 35
Sillanpää, R., 171
Simal, F., 163
Skelton, B.W., 197
Song, H., 71
Song, W., 223
Spaniol, T.P., 139
Stradiotto, M., 1
Strandén, J., 171
Strömberg, S., 123
Suh, I.-H., 71
Suzuki, M., 35

Tian, G., 231

van Koten, G., 61
Vicario, J.L., 61

Wang, B., 231
Wang, Q.-G., 131
White, A.H., 197
Wicha, J., 227
Winter, A., 213

Xue, M., 11
Xu, S., 231

Yoon, J.-S., 11
Yu, Z., 223

Zaitseva, N.N., 197
Zarecki, A., 227
Zetterberg, K., 123
Zhang, Y., 231
Zhang, Z.-Z., 131
Zheng, G., 1
Zhou, X., 231

PII S0022-328X(98)00589-0

ELSEVIER

Journal of Organometallic Chemistry 558 (1998) 243–246

Journal of Organometallic Chemistry

Subject index of Volume 558

Alkenes
Gas-phase reactions of Tc^+, Re^+, Mo^+ and Cu^+ with alkenes, 51
Alkyl complex
Zirconium and hafnium mono(alkyl) complexes containing a tridentate linked amido-tetramethylcyclopentadienyl ligand. Molecular structure of $Hf(\eta^5:\eta^1\text{-}C_5Me_4SiMe_2NCH_2CH_2OCH_3)Cl_2$, 139
Alkylidene
Reaction of $CpWOs_3(CO)_{11}(\mu_3\text{-CTol})$ with H_2S: μ-alkylidene and μ_3-alkylidyne WOs_3 cluster complexes containing a sulfido ligand, 71
Alkylidyne
Reaction of $CpWOs_3(CO)_{11}(\mu_3\text{-CTol})$ with H_2S: μ-alkylidene and μ_3-alkylidyne WOs_3 cluster complexes containing a sulfido ligand, 71
2-Alkylindene
Synthesis and characterization of new bis(2-R-indenyl) zirconium dichloride complexes for the olefin polymerization, 11
Alkyl substituents
Synthesis and characterization of new bis(2-R-indenyl) zirconium dichloride complexes for the olefin polymerization, 11
Alkyne insertion
Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenylazobenzenes, 91
Amide
Crystal structure of a heavier alkali metal diisopropylamide complex: a discrete $(KN)_2$ ring dimer with TMEDA chelation and short intramolecular K···H(C) contacts, 193
ansa-Metallocene
Synthesis and characterization of ethylene-bridged 1-*tert*-butyldimethylsiloxy-substituted bis(indenyl) and bis(tetrahydroindenyl)zirconium dichlorides, 181
Aryl group migaration
Migration of aryl groups from silicon to carbon in α,β-epoxysilanes. A new model for hypervalent silicon study, 227
Aryl-manganese
Novel tridentate diamino organomanganese(II) complexes as homogeneous catalysts in manganese(II)/copper(I) catalyzed carbon–carbon bond forming reactions, 61

Binuclear copper(I) complexes
Reaction of $[Cu_2(\mu\text{-}Ph_2Ppypz)_2(MeCN)_2](ClO_4)_2$ (Ph_2Ppypz = (2-diphenylphosphino-6-pyrazol-1-yl)pyridine) with $Fe(CO)_4^{2-}$ and X^- (X = Cl, I, $MeCO_2$ and pyrazolate), 131
Bioctahedron complexes
Comparison on the selectivity of the first and second attack of selected lithium organyls as nucleophiles on the carbonyls in the bioctahedron complexes $M_2(\mu\text{-}PPh_2)_2(CO)_8$ (M = Mn, Re). Is there a neighbour group effect for the second attack?, 81
Bond activation
Remarkable regioselectivity in the reaction between $[(\eta^5\text{-}C_5Me_4H)RhCl(\mu\text{-}Cl)]_2$ and $(C_6F_5)_2PCH_2CH_2P(C_6F_5)_2$: synthesis of a chiral-at-metal rhodium complex cation via carbon–fluorine and –hydrogen bond activation and carbon–carbon bond formation, 209
Bridging phosphine ligand
Reaction of $[Cu_2(\mu\text{-}Ph_2Ppypz)_2(MeCN)_2](ClO_4)_2$ (Ph_2Ppypz = (2-diphenylphosphino-6-pyrazol-1-yl)pyridine) with $Fe(CO)_4^{2-}$ and X^- (X = Cl, I, $MeCO_2$ and pyrazolate), 131

Carbazole
Reactions of platinum(0) complexes with carbazole, 189
Catalysis
Verbrückte Indenyliden–Cyclopentadienylidenkomplexe des Typs $(C_9H_5CH_2Ph\text{–}X\text{–}C_5H_4)MCl_2$ (X = CMe_2, $SiMe_2$; M = Zr, Hf) als Metallocenkatalysatoren für die Ethylenpolymerisation. Die Molekülstrukturen von $(C_9H_5CH_2Ph\text{–}CMe_2\text{–}C_5H_4)MCl_2$ (M = Zr, Hf), 111
Catalysts
Existence of an intradimeric rearrangement in monofunctional tetrabutyldistannoxanes $[Bu_4Sn_2X_2O]_2$ probed by multinuclear NMR spectroscopy in solution and in solid state, 19
Siloxy-substituted tetramethylcyclopentadienyl and indenyl trichlorotitanium complexes for syndiospecific polymerization of styrene, 231
Chiral-at-metal rhodium complex
Remarkable regioselectivity in the reaction between $[(\eta^5\text{-}C_5Me_4H)RhCl(\mu\text{-}Cl)]_2$ and $(C_6F_5)_2PCH_2CH_2P(C_6F_5)_2$: synthesis of a chiral-at-metal rhodium complex cation via carbon–fluorine and –hydrogen bond activation and carbon–carbon bond formation, 209
Chirality
Optically active transition metal compounds 114: The complexes $(\eta^3\text{-}C_{27}H_{33}N_3)CuCl_2$ and $(\eta^3\text{-}C_{27}H_{33}N_3)M(CO)_3$ (M = Cr, Mo, W) containing the ligand $C_{27}H_{33}N_3$ = *N*,*N*′,*N*″-tris[(S)-1′-phenylethyl]hexahydro-1,3,5-triazine, 213
Chromium
Optically active transition metal compounds 114: The complexes $(\eta^3\text{-}C_{27}H_{33}N_3)CuCl_2$ and $(\eta^3\text{-}C_{27}H_{33}N_3)M(CO)_3$ (M = Cr, Mo, W) containing the ligand $C_{27}H_{33}N_3$ = *N*,*N*′,*N*″-tris[(S)-1′-phenylethyl]hexahydro-1,3,5-triazine, 213
Cobalt catalysis
Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenylazobenzenes, 91
Copper
Gas-phase reactions of Tc^+, Re^+, Mo^+ and Cu^+ with alkenes, 51
Optically active transition metal compounds 114: The complexes $(\eta^3\text{-}C_{27}H_{33}N_3)CuCl_2$ and $(\eta^3\text{-}C_{27}H_{33}N_3)M(CO)_3$ (M = Cr, Mo, W) containing the ligand $C_{27}H_{33}N_3$ = *N*,*N*′,*N*″-tris[(S)-1′-phenylethyl]hexahydro-1,3,5-triazine, 213

PII S0022-328X(98)00590-7

Coupling of 1,3-diynes
Coupling of 1,3-diynes on a triruthenium cluster: reactions of $Ru_3(\mu_3\text{-}PhC_2C{\equiv}CPh)(\mu\text{-}dppm)(CO)_8$ with $SiMe_3C{\equiv}CC{\equiv}CSiMe_3$, 197
Cross-coupling catalyst
Novel tridentate diamino organomanganese(II) complexes as homogeneous catalysts in manganese(II)/copper(I) catalyzed carbon–carbon bond forming reactions, 61
Crystal structure
Crystal structure of a heavier alkali metal diisopropylamide complex: a discrete $(KN)_2$ ring dimer with TMEDA chelation and short intramolecular K···H(C) contacts, 193
Synthesis and structure of methylpalladium(II) and -platinum(II) complexes with 2-allylphenoxido ligands, *trans*-$PdMe(O_6H_4CH_2CH{=}CH_2\text{-}o)(PR_3)_2$ (R = Me, Ph) and $PtMe(\eta^1\text{-}O, \eta^2\text{-}C,C\text{-}OC_6H_4CH_2CH{=}CH_2\text{-}o)(PMe_3)$. Simple *O*-coordination and chelating coordination depending on the metal center and auxiliary phosphine ligand, 41
The synthesis, solid state conductivity and X-ray crystal structure of $[Fe\{\eta^5\text{-}C_5H_5\}(E\text{-}\eta^5\text{-}C_5H_4{-}CH{=}CH\text{-}9\text{-}C_{16}H_9)][1,4\text{-}\{(CN)_2C{=}\}_2C_6H_4]$, 147
Cyclic voltammetry
Iron dinitrosyl complexes of TCNE: a synthetic, X-ray crystallographic, high field NMR and electrochemical study, 1
Cycloaddition
Addition of nitrile oxides to germyl-substituted ethylenes, 155
Cyclometallated complex
A cyclometallated Pd(II) complex containing a cytosine model nucleobase, 103
1,2-Diaryldiazenes
Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenylazobenzenes, 91

Diazoesters
Cp*Ru(II) and Cp*Ru(IV)-catalyzed reactions of CHX with vinyl C–H bonds: competition between double bond homologation and olefin cyclopropanation by alkyl diazoacetate, 163
2,3-Dihydrocinnoline
Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenylazobenzenes, 91
Distannoxanes
Existence of an intradimeric rearrangement in monofunctional tetrabutyldistannoxanes $[Bu_4Sn_2X_2O]_2$ probed by multinuclear NMR spectroscopy in solution and in solid state, 19

Electrochemistry
Iron dinitrosyl complexes of TCNE: a synthetic, X-ray crystallographic, high field NMR and electrochemical study, 1
Epimerization
Comments on the paper titled: 'Error formation in ansa-zirconocene catalyzed isotactic propylene polymerization': (J. Organomet. Chem. 512 (1996) 131), 219
α,β-Epoxysilanes
Migration of aryl groups from silicon to carbon in α,β-epoxysilanes. A new model for hypervalent silicon study, 227
EPR
The synthesis, solid state conductivity and X-ray crystal structure of $[Fe\{\eta^5\text{-}C_5H_5\}(E\text{-}\eta^5\text{-}C_5H_4{-}CH{=}CH\text{-}9\text{-}C_{16}H_9)][1,4\text{-}\{(CN)_2C{=}\}_2C_6H_4]$, 147

Ferrocenyl
The synthesis, solid state conductivity and X-ray crystal structure of $[Fe\{\eta^5\text{-}C_5H_5\}(E\text{-}\eta^5\text{-}C_5H_4{-}CH{=}CH\text{-}9\text{-}C_{16}H_9)][1,4\text{-}\{(CN)_2C{=}\}_2C_6H_4]$, 147

Gas phase reactions
Gas-phase reactions of Tc^+, Re^+, Mo^+ and Cu^+ with alkenes, 51
Germanium
Addition of nitrile oxides to germyl-substituted ethylenes, 155
Grignard reagents
Novel tridentate diamino organomanganese(II) complexes as homogeneous catalysts in manganese(II)/copper(I) catalyzed carbon–carbon bond forming reactions, 61

Hafnium
Verbrückte Indenyliden–Cyclopentadienylidenkomplexe des Typs $(C_9H_5CH_2Ph{-}X{-}C_5H_4)MCl_2$ (X = CMe_2, $SiMe_2$; M = Zr, Hf) als Metallocenkatalysatoren für die Ethylenpolymerisation. Die Molekülstrukturen von $(C_9H_5CH_2Ph{-}CMe_2{-}C_5H_4)MCl_2$ (M = Zr, Hf), 111
Zirconium and hafnium mono(alkyl) complexes containing a tridentate linked amido-tetramethylcyclopentadienyl ligand. Molecular structure of $Hf(\eta^5{:}\eta^1\text{-}C_5Me_4SiMe_2NCH_2CH_2OCH_3)Cl_2$, 139
Hexahydrotriazine ligands
Optically active transition metal compounds 114: The complexes $(\eta^3\text{-}C_{27}H_{33}N_3)CuCl_2$ and $(\eta^3\text{-}C_{27}H_{33}N_3)M(CO)_3$ (M = Cr, Mo, W) containing the ligand $C_{27}H_{33}N_3$ = *N,N′,N″*-tris[(S)-1′-phenylethyl]hexahydro-1,3,5-triazine, 213
Hydride
Reactions of platinum(0) complexes with carbazole, 189
Hydride complexes
Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenylazobenzenes, 91
Hydrogen bonding
Synthesis and structure of methylpalladium(II) and -platinum(II) complexes with 2-allylphenoxido ligands, *trans*-$PdMe(O_6H_4CH_2CH{=}CH_2\text{-}o)(PR_3)_2$ (R = Me, Ph) and $PtMe(\eta^1\text{-}O, \eta^2\text{-}C,C\text{-}OC_6H_4CH_2CH{=}CH_2\text{-}o)(PMe_3)$. Simple *O*-coordination and chelating coordination depending on the metal center and auxiliary phosphine ligand, 41
Hydrogermylation
Addition of nitrile oxides to germyl-substituted ethylenes, 155
Hypervalent Si species
Migration of aryl groups from silicon to carbon in α,β-epoxysilanes. A new model for hypervalent silicon study, 227

Immobilized complex
Supported organometallic complexes XVI: A T-silyl functionalized dppp palladium complex as a precursor for catalysis in interphases, 235
Indenyl
Bis[2-(*tert*-butyldimethylsiloxy)-4,7-dimethylindenyl]zirconium dichloride: synthesis, torsional isomerism and olefin polymerization catalysis, 171
Synthesis and characterization of ethylene-bridged 1-*tert*-butyldimethylsiloxy-substituted bis(indenyl) and bis(tetrahydroindenyl)zirconium dichlorides, 181
Insertion
Cp*Ru(II) and Cp*Ru(IV)-catalyzed reactions of CHX with vinyl C–H bonds: competition between double bond homologation and olefin cyclopropanation by alkyl diazoacetate, 163
Intramolecular bonding
Crystal structure of a heavier alkali metal diisopropylamide complex: a discrete $(KN)_2$ ring dimer with TMEDA chelation and short intramolecular K···H(C) contacts, 193
Iron carbonylate anion
Reaction of $[Cu_2(\mu\text{-}Ph_2Ppypz)_2(MeCN)_2](ClO_4)_2$ (Ph_2Ppypz = (2-diphenylphosphino-6-pyrazol-1-yl)pyridine) with $Fe(CO)_4^{2-}$ and X^- (X = Cl, I, $MeCO_2$ and pyrazolate), 131

Iron dinitrosyl
Iron dinitrosyl complexes of TCNE: a synthetic, X-ray crystallographic, high field NMR and electrochemical study, 1
Isotactic polypropylene
Comments on the paper titled: 'Error formation in ansa-zirconocene catalyzed isotactic propylene polymerization': (J. Organomet. Chem. 512 (1996) 131), 219
Isoxazolines-2
Addition of nitrile oxides to germyl-substituted ethylenes, 155

Linked amido-cyclopentadienyl ligand
Zirconium and hafnium mono(alkyl) complexes containing a tridentate linked amido-tetramethylcyclopentadienyl ligand. Molecular structure of $Hf(\eta^5:\eta^1\text{-}C_5Me_4SiMe_2NCH_2CH_2OCH_3)Cl_2$, 139
Lithium organyls
Comparison on the selectivity of the first and second attack of selected lithium organyls as nucleophiles on the carbonyls in the bioctahedron complexes $M_2(\mu\text{-}PPh_2)_2(CO)_8$ (M = Mn, Re). Is there a neighbour group effect for the second attack?, 81

Manganese
Novel tridentate diamino organomanganese(II) complexes as homogeneous catalysts in manganese(II)/copper(I) catalyzed carbon–carbon bond forming reactions, 61
Mass spectrometry
Gas-phase reactions of Tc^+, Re^+, Mo^+ and Cu^+ with alkenes, 51
Metal clusters
Reaction of $CpWOs_3(CO)_{11}(\mu_3\text{-CTol})$ with H_2S: μ-alkylidene and μ_3-alkylidyne WOs_3 cluster complexes containing a sulfido ligand, 71
Metallocene
Bis[2-(*tert*-butyldimethylsiloxy)-4,7-dimethylindenyl]zirconium dichloride: synthesis, torsional isomerism and olefin polymerization catalysis, 171
Metallocene complexes
Verbrückte Indenyliden–Cyclopentadienylidenkomplexe des Typs $(C_9H_5CH_2Ph\text{–}X\text{–}C_5H_4)MCl_2$ (X = CMe_2, $SiMe_2$; M = Zr, Hf) als Metallocenkatalysatoren für die Ethylenpolymerisation. Die Molekülstrukturen von $(C_9H_5CH_2Ph\text{–}CMe_2\text{–}C_5H_4)MCl_2$ (M = Zr, Hf), 111
Metallocenes
Comments on the paper titled: 'Error formation in ansa-zirconocene catalyzed isotactic propylene polymerization': (J. Organomet. Chem. 512 (1996) 131), 219
1-methylcytosine
A cyclometallated Pd(II) complex containing a cytosine model nucleobase, 103
Molybdenum
Gas-phase reactions of Tc^+, Re^+, Mo^+ and Cu^+ with alkenes, 51
Optically active transition metal compounds 114: The complexes $(\eta^3\text{-}C_{27}H_{33}N_3)CuCl_2$ and $(\eta^3\text{-}C_{27}H_{33}N_3)M(CO)_3$ (M = Cr, Mo, W) containing the ligand $C_{27}H_{33}N_3$ = *N*,*N*′,*N*″-tris[(S)-1′-phenylethyl]hexahydro-1,3,5-triazine, 213

Nitrosyls
Iron dinitrosyl complexes of TCNE: a synthetic, X-ray crystallographic, high field NMR and electrochemical study, 1
NMR
Existence of an intradimeric rearrangement in monofunctional tetrabutyldistannoxanes $[Bu_4Sn_2X_2O]_2$ probed by multinuclear NMR spectroscopy in solution and in solid state, 19
Iron dinitrosyl complexes of TCNE: a synthetic, X-ray crystallographic, high field NMR and electrochemical study, 1
Nucleobase
A cyclometallated Pd(II) complex containing a cytosine model nucleobase, 103
Nucleophiles
Comparison on the selectivity of the first and second attack of selected lithium organyls as nucleophiles on the carbonyls in the bioctahedron complexes $M_2(\mu\text{-}PPh_2)_2(CO)_8$ (M = Mn, Re). Is there a neighbour group effect for the second attack?, 81
Nucleophilic addition
Synthesis and characterization of new bis(2-R-indenyl) zirconium dichloride complexes for the olefin polymerization, 11

Olefin chelate
Cp*Ru(II) and Cp*Ru(IV)-catalyzed reactions of CHX with vinyl C–H bonds: competition between double bond homologation and olefin cyclopropanation by alkyl diazoacetate, 163
Olefin polymerization
Bis[2-(*tert*-butyldimethylsiloxy)-4,7-dimethylindenyl]zirconium dichloride: synthesis, torsional isomerism and olefin polymerization catalysis, 171
Olefins
Gas-phase reactions of Tc^+, Re^+, Mo^+ and Cu^+ with alkenes, 51
Ortho-metalation
Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenylazobenzenes, 91

Palladium
Supported organometallic complexes XVI: A T-silyl functionalized dppp palladium complex as a precursor for catalysis in interphases, 235
Synthesis and structure of methylpalladium(II) and -platinum(II) complexes with 2-allylphenoxido ligands, *trans*-$PdMe(O_6H_4CH_2CH{=}CH_2\text{-}o)(PR_3)_2$ (R = Me, Ph) and $PtMe(\eta^1\text{-}O, \eta^2\text{-}C,C\text{-}OC_6H_4CH_2CH{=}CH_2\text{-}o)(PMe_3)$. Simple *O*-coordination and chelating coordination depending on the metal center and auxiliary phosphine ligand, 41
Pd(II) complex
A cyclometallated Pd(II) complex containing a cytosine model nucleobase, 103
Phenoxide
Synthesis and structure of methylpalladium(II) and -platinum(II) complexes with 2-allylphenoxido ligands, *trans*-$PdMe(O_6H_4CH_2CH{=}CH_2\text{-}o)(PR_3)_2$ (R = Me, Ph) and $PtMe(\eta^1\text{-}O, \eta^2\text{-}C,C\text{-}OC_6H_4CH_2CH{=}CH_2\text{-}o)(PMe_3)$. Simple *O*-coordination and chelating coordination depending on the metal center and auxiliary phosphine ligand, 41
Phosphines
Supported organometallic complexes XVI: A T-silyl functionalized dppp palladium complex as a precursor for catalysis in interphases, 235
Platinum
Synthesis and structure of methylpalladium(II) and -platinum(II) complexes with 2-allylphenoxido ligands, *trans*-$PdMe(O_6H_4CH_2CH{=}CH_2\text{-}o)(PR_3)_2$ (R = Me, Ph) and $PtMe(\eta^1\text{-}O, \eta^2\text{-}C,C\text{-}OC_6H_4CH_2CH{=}CH_2\text{-}o)(PMe_3)$. Simple *O*-coordination and chelating coordination depending on the metal center and auxiliary phosphine ligand, 41
Platinum(0)
Reactions of platinum(0) complexes with carbazole, 189
Polymerization
Siloxy-substituted tetramethylcyclopentadienyl and indenyl trichlorotitanium complexes for syndiospecific polymerization of styrene, 231

Verbrückte Indenyliden–Cyclopentadienylidenkomplexe des Typs $(C_9H_5CH_2Ph–X–C_5H_4)MCl_2$ (X = CMe_2, $SiMe_2$; M = Zr, Hf) als Metallocenkatalysatoren für die Ethylenpolymerisation. Die Molekülstrukturen von $(C_9H_5CH_2Ph–CMe_2–C_5H_4)MCl_2$ (M = Zr, Hf), 111

Potassium
Crystal structure of a heavier alkali metal diisopropylamide complex: a discrete $(KN)_2$ ring dimer with TMEDA chelation and short intramolecular K···H(C) contacts, 193

Pyrazolate
Reaction of $[Cu_2(\mu\text{-}Ph_2Ppypz)_2(MeCN)_2](ClO_4)_2$ (Ph_2Ppypz = (2-diphenylphosphino-6-pyrazol-1-yl)pyridine) with $Fe(CO)_4^{2-}$ and X^- (X = Cl, I, $MeCO_2$ and pyrazolate), 131

Rearrangement
Existence of an intradimeric rearrangement in monofunctional tetrabutyldistannoxanes $[Bu_4Sn_2X_2O]_2$ probed by multinuclear NMR spectroscopy in solution and in solid state, 19

Regioselectivity
Remarkable regioselectivity in the reaction between $[(\eta^5\text{-}C_5Me_4H)RhCl(\mu\text{-}Cl)]_2$ and $(C_6F_5)_2PCH_2CH_2P(C_6F_5)_2$: synthesis of a chiral-at-metal rhodium complex cation via carbon–fluorine and –hydrogen bond activation and carbon–carbon bond formation, 209

Rhenium
Gas-phase reactions of Tc^+, Re^+, Mo^+ and Cu^+ with alkenes, 51

Ruthenium
Cp*Ru(II) and Cp*Ru(IV)-catalyzed reactions of CHX with vinyl C–H bonds: competition between double bond homologation and olefin cyclopropanation by alkyl diazoacetate, 163

Ruthenium-carbene
Cp*Ru(II) and Cp*Ru(IV)-catalyzed reactions of CHX with vinyl C–H bonds: competition between double bond homologation and olefin cyclopropanation by alkyl diazoacetate, 163

Ruthenium clusters
Coupling of 1,3-diynes on a triruthenium cluster: reactions of $Ru_3(\mu_3\text{-}PhC_2C{\equiv}CPh)(\mu\text{-dppm})(CO)_8$ with $SiMe_3C{\equiv}CC{\equiv}CSiMe_3$, 197

Semiconductor
The synthesis, solid state conductivity and X-ray crystal structure of $[Fe\{\eta^5\text{-}C_5H_5\}(E\text{-}\eta^5\text{-}C_5H_4–CH{=}CH\text{-}9\text{-}C_{16}H_9)][1,4\text{-}\{(CN)_2C{=}\}_2C_6H_4]$, 147

Siloxy
Bis[2-(*tert*-butyldimethylsiloxy)-4,7-dimethylindenyl]zirconium dichloride: synthesis, torsional isomerism and olefin polymerization catalysis, 171
Synthesis and characterization of ethylene-bridged 1-*tert*-butyldimethylsiloxy-substituted bis(indenyl) and bis(tetrahydroindenyl)zirconium dichlorides, 181

Solid state conductivity
The synthesis, solid state conductivity and X-ray crystal structure of $[Fe\{\eta^5\text{-}C_5H_5\}(E\text{-}\eta^5\text{-}C_5H_4–CH{=}CH\text{-}9\text{-}C_{16}H_9)][1,4\text{-}\{(CN)_2C{=}\}_2C_6H_4]$, 147

Stilbenylazobenzene
Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenylazobenzenes, 91

Styrene
Cp*Ru(II) and Cp*Ru(IV)-catalyzed reactions of CHX with vinyl C–H bonds: competition between double bond homologation and olefin cyclopropanation by alkyl diazoacetate, 163

Sulfido ligand
Reaction of $CpWOs_3(CO)_{11}(\mu_3\text{-CTol})$ with H_2S: μ-alkylidene and μ_3-alkylidyne WOs_3 cluster complexes containing a sulfido ligand, 71

Syndiotactic polystyrene
Siloxy-substituted tetramethylcyclopentadienyl and indenyl trichlorotitanium complexes for syndiospecific polymerization of styrene, 231

TCNE
Iron dinitrosyl complexes of TCNE: a synthetic, X-ray crystallographic, high field NMR and electrochemical study, 1

Technetium
Gas-phase reactions of Tc^+, Re^+, Mo^+ and Cu^+ with alkenes, 51

Tin
Existence of an intradimeric rearrangement in monofunctional tetrabutyldistannoxanes $[Bu_4Sn_2X_2O]_2$ probed by multinuclear NMR spectroscopy in solution and in solid state, 19

Titanium
Siloxy-substituted tetramethylcyclopentadienyl and indenyl trichlorotitanium complexes for syndiospecific polymerization of styrene, 231

Tungsten
Optically active transition metal compounds 114: The complexes $(\eta^3\text{-}C_{27}H_{33}N_3)CuCl_2$ and $(\eta^3\text{-}C_{27}H_{33}N_3)M(CO)_3$ (M = Cr, Mo, W) containing the ligand $C_{27}H_{33}N_3$ = *N*,*N*′,*N*″-tris[(S)-1′-phenylethyl]hexahydro-1,3,5-triazine, 213

Tungsten–triosmium
Reaction of $CpWOs_3(CO)_{11}(\mu_3\text{-CTol})$ with H_2S: μ-alkylidene and μ_3-alkylidyne WOs_3 cluster complexes containing a sulfido ligand, 71

X-ray
Reactions of platinum(0) complexes with carbazole, 189

X-ray structure
Addition of nitrile oxides to germyl-substituted ethylenes, 155
Reaction of $CpWOs_3(CO)_{11}(\mu_3\text{-CTol})$ with H_2S: μ-alkylidene and μ_3-alkylidyne WOs_3 cluster complexes containing a sulfido ligand, 71
Verbrückte Indenyliden–Cyclopentadienylidenkomplexe des Typs $(C_9H_5CH_2Ph–X–C_5H_4)MCl_2$ (X = CMe_2, $SiMe_2$; M = Zr, Hf) als Metallocenkatalysatoren für die Ethylenpolymerisation. Die Molekülstrukturen von $(C_9H_5CH_2Ph–CMe_2–C_5H_4)MCl_2$ (M = Zr, Hf), 111

X-ray structure analysis
Optically active transition metal compounds 114: The complexes $(\eta^3\text{-}C_{27}H_{33}N_3)CuCl_2$ and $(\eta^3\text{-}C_{27}H_{33}N_3)M(CO)_3$ (M = Cr, Mo, W) containing the ligand $C_{27}H_{33}N_3$ = *N*,*N*′,*N*″-tris[(S)-1′-phenylethyl]hexahydro-1,3,5-triazine, 213

Zirconium
Bis[2-(*tert*-butyldimethylsiloxy)-4,7-dimethylindenyl]zirconium dichloride: synthesis, torsional isomerism and olefin polymerization catalysis, 171
Synthesis and characterization of ethylene-bridged 1-*tert*-butyldimethylsiloxy-substituted bis(indenyl) and bis(tetrahydroindenyl)zirconium dichlorides, 181
Verbrückte Indenyliden–Cyclopentadienylidenkomplexe des Typs $(C_9H_5CH_2Ph–X–C_5H_4)MCl_2$ (X = CMe_2, $SiMe_2$; M = Zr, Hf) als Metallocenkatalysatoren für die Ethylenpolymerisation. Die Molekülstrukturen von $(C_9H_5CH_2Ph–CMe_2–C_5H_4)MCl_2$ (M = Zr, Hf), 111
Zirconium and hafnium mono(alkyl) complexes containing a tridentate linked amido-tetramethylcyclopentadienyl ligand. Molecular structure of $Hf(\eta^5{:}\eta^1{:}\eta^1\text{-}C_5Me_4SiMe_2NCH_2CH_2OCH_3)Cl_2$, 139